# EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|---|---|---|---|---|---|---|
| L1 | 65 | gassoway.in. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2009/03/11 16:53 |
| L2 | 15 | gassoway.in. AND ("713".clas. \| "726".clas. \| "380".clas.) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2009/03/11 16:53 |
| L3 | 1 | "2003145226".pn. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2009/03/11 17:10 |
| L4 | 3 | Bruton David Aro.in. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2009/03/11 17:12 |
| L5 | 15 | ((confidence \| certainty \| degree) NEAR value) AND ("IDS" \| intrusion detection) AND (decreas$3 \| decrement$3) AND (increas$3 \| increment$3) AND threshold AND (signature$1 \| pattern$1) AND (726/2,11,13,16,22,23-25,26,27.ccls. \| 713/188.ccls. \| 380/59.ccls.) AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2009/03/11 17:16 |
| L6 | 149 | filter$3 AND ("IDS" \| intrusion detection) AND (decreas$3 \| decrement$3) AND (increas$3 \| increment$3) AND threshold AND (signature$1 \| pattern$1) AND (726/2,11,13,16,22,23-25,26,27.ccls. \| 713/188.ccls. \| 380/59.ccls.) AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2009/03/11 17:16 |
| L7 | 136 | event AND filter$3 AND ("IDS" \| intrusion detection) AND (decreas$3 \| decrement$3) AND (increas$3 \| increment$3) AND threshold AND (signature$1 \| pattern$1) AND (726/2,11,13,16,22,23-25,26,27.ccls. \| 713/188.ccls. \| 380/59.ccls.) AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2009/03/11 17:17 |

| L8 | 35 | event AND filter$3 AND ("IDS" \| intrusion detection) AND (decreas$3 \| decrement$3) AND (increas$3 \| increment$3) AND threshold AND (attack NEAR (signature$1 \| pattern$1 \| fingerprint$1)) AND (726/2,11, 13,16,22,23-25,26,27.ccls. \| 713/188.ccls. \| 380/59.ccls.) AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2009/03/11 17:17 |
|---|---|---|---|---|---|---|
| L9 | 2 | "20040172558".pn. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2009/03/11 17:18 |
| S1 | 2202 | 713/176.ccls. AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/15 16:24 |
| S2 | 388 | (intrusion detection OR "IDS" OR host intrusion OR "HID$1") AND value AND (receiv$3 OR recept$3) AND match$3 AND signature AND 713/176.ccls. AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/15 15:24 |
| S3 | 2543 | (intrusion detection OR "IDS" OR host intrusion OR "HID$1") AND value AND (receiv$3 OR recept$3) AND match$3 AND signature AND ("713".clas. OR "726".clas.) AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/15 15:31 |
| S4 | 366 | determin$5 AND (intrusion detection OR "IDS" OR host intrusion OR "HID$1") AND value AND (receiv$3 OR recept$3) AND match$3 AND signature AND 713/176.ccls. AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/15 15:24 |
| S5 | 190 | (decrement OR decrease OR lower OR subtract$3) AND (increment OR increase OR raise OR add$5) AND determin$5 AND (intrusion detection OR "IDS" OR host intrusion OR "HID$1") AND value AND (receiv$3 OR recept$3) AND match$3 AND signature AND 713/176.ccls. AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/15 15:25 |

| S6 | 54 | data AND packet AND (decrement OR decrease OR lower OR subtract$3) AND (increment OR increase OR raise OR add$5) AND determin$5 AND (intrusion detection OR "IDS" OR host intrusion OR "HID$1") AND value AND (receiv$3 OR recept$3) AND match$3 AND signature AND 713/176.ccls. AND (@pd< "20040519" or @ad< "20040519" or @prad< "20040519" or @rlad< "20040519") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/15 15:27 |
| --- | --- | --- | --- | --- | --- | --- |
| S7 | 35 | filter AND data AND packet AND (decrement OR decrease OR lower OR subtract$3) AND (increment OR increase OR raise OR add$5) AND determin$5 AND (intrusion detection OR "IDS" OR host intrusion OR "HID$1") AND value AND (receiv$3 OR recept$3) AND match$3 AND signature AND 713/176.ccls. AND (@pd< "20040519" or @ad< "20040519" or @prad< "20040519" or @rlad< "20040519") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/15 15:26 |
| S8 | 43 | (filter OR screen OR scrutinize OR analyze) AND data AND packet AND (decrement OR decrease OR lower OR subtract$3) AND (increment OR increase OR raise OR add$5) AND determin$5 AND (intrusion detection OR "IDS" OR host intrusion OR "HID$1") AND value AND (receiv$3 OR recept$3) AND match$3 AND signature AND 713/176.ccls. AND (@pd< "20040519" or @ad< "20040519" or @prad< "20040519" or @rlad< "20040519") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/15 15:26 |
| S9 | 51 | network AND data AND packet AND (decrement OR decrease OR lower OR subtract$3) AND (increment OR increase OR raise OR add$5) AND determin$5 AND (intrusion detection OR "IDS" OR host intrusion OR "HID$1") AND value AND (receiv$3 OR recept$3) AND match$3 AND signature AND 713/176.ccls. AND (@pd< "20040519" or @ad< "20040519" or @prad< "20040519" or @rlad< "20040519") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/15 15:27 |
| S10 | 51 | network AND data AND packet AND (decrement OR decrease OR lower OR subtract$3) AND (increment OR increase OR raise OR add$5) AND determin$5 AND (intrusion detection OR "IDS" OR host intrusion OR "HID$1") AND value AND (receiv$3 OR recept$3) AND match$3 AND signature AND 713/176.ccls. AND (@pd< "20040519" or @ad< "20040519" or @prad< "20040519" or @rlad< "20040519") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/15 15:28 |

| S11 | 0 | trust level AND network AND data AND packet AND (decrement OR decrease OR lower OR subtract$3) AND (increment OR increase OR raise OR add$5) AND determin$5 AND (intrusion detection OR "IDS" OR host intrusion OR "HID$1") AND value AND (receiv$3 OR recept$3) AND match$3 AND signature AND 713/176.ccls. AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/15 15:29 |
|-----|-----|-----|-----|-----|-----|-----|
| S12 | 3 | (trust NEAR level) AND network AND data AND packet AND (decrement OR decrease OR lower OR subtract$3) AND (increment OR increase OR raise OR add$5) AND determin$5 AND (intrusion detection OR "IDS" OR host intrusion OR "HID$1") AND value AND (receiv$3 OR recept$3) AND match$3 AND signature AND 713/176.ccls. AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/15 15:29 |
| S13 | 47 | (trust NEAR level) AND network AND data AND packet AND (decrement OR decrease OR lower OR subtract$3) AND (increment OR increase OR raise OR addition OR adding OR add) AND determin$5 AND (intrusion detection OR "IDS" OR host intrusion OR "HID$1") AND value AND (receiv$3 OR recept$3) AND match$3 AND signature AND ("713".clas. OR "726".clas.) AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/15 15:33 |
| S14 | 574 | network AND data AND packet AND (decrement OR decrease OR lower OR subtract$3) AND (increment OR increase OR raise OR addition OR adding OR add) AND determin$5 AND (intrusion detection OR "IDS" OR host intrusion OR "HID$1") AND value AND (receiv$3 OR recept$3) AND match$3 AND signature AND ("713". clas. OR "726".clas.) AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/15 15:33 |

3/11/2009 5:18:59 PM
C:\Documents and Settings\olouie\My Documents\EAST\Workspaces\10849318_Meth&SysForComputerSecurity_.wsp

Page 4

# EAST Search History

| S15 | 287 | (trust NEAR level OR degree) AND network AND data AND packet AND (decrement OR decrease OR lower OR subtract$3) AND (increment OR increase OR raise OR addition OR adding OR add) AND determin$5 AND (intrusion detection OR "IDS" OR host intrusion OR "HID$1") AND value AND (receiv$3 OR recept$3) AND match$3 AND signature AND ("713".clas. OR "726".clas.) AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/15 16:20 |
|-----|-----|---|---|---|---|---|
| S16 | 663 | (measure$4 OR trust NEAR level OR degree) AND network AND data AND packet AND determin$5 AND (intrusion detection OR "IDS" OR host intrusion OR "HID$1") AND value AND (receiv$3 OR recept$3) AND match$3 AND signature AND ("713".clas. OR "726".clas.) AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/15 16:22 |
| S17 | 386 | (measure$4 OR trust NEAR level OR degree) AND network AND data AND packet AND determin$5 AND (intrusion detection OR "IDS" OR host intrusion OR "HID$1") AND value AND (receiv$3 OR recept$3) AND match$3 AND signature AND database AND log AND ("713".clas. OR "726".clas.) AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/15 16:23 |
| S18 | 387 | (measure$4 OR trust NEAR level OR degree) AND network AND data AND packet AND (determin$5 OR compar$3) AND (intrusion detection OR "IDS") AND value AND (receiv$3 OR recept$3) AND match$3 AND signature AND database AND log AND ("713".clas. OR "726".clas.) AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/15 16:23 |
| S19 | 331 | (measure$4) AND network AND data AND packet AND (determin$5 OR compar$3) AND (intrusion detection OR "IDS") AND value AND (receiv$3 OR recept$3) AND match$3 AND signature AND database AND log AND ("713".clas. OR "726".clas.) AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/15 16:23 |

| S20 | 18 | (measure$4) AND network AND data AND packet AND (determin$5 OR compar$3) AND (intrusion detection OR "IDS") AND value AND (receiv$3 OR recept$3) AND match$3 AND signature AND database AND log AND 713/176.ccls. AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/15 16:25 |
| S21 | 8 | (measure$4) AND network AND data AND packet AND (determin$5 OR compar$3) AND (intrusion detection OR "IDS") AND value AND (receiv$3 OR recept$3) AND match$3 AND signature AND database AND log AND 726/13.ccls. AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/15 16:28 |
| S22 | 201 | (measure$4) AND network AND data AND packet AND (determin$5 OR compar$3) AND (intrusion detection OR "IDS") AND value AND (receiv$3 OR recept$3) AND match$3 AND signature AND database AND log AND "726".clas. AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/15 16:25 |
| S23 | 12 | (measure$4) AND network AND data AND packet AND (intrusion detection OR "IDS") AND signature AND database AND log AND 726/13.ccls. AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/15 16:29 |
| S24 | 13 | (measure$4) AND network AND (intrusion detection OR "IDS") AND signature AND database AND log AND 726/13.ccls. AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/15 16:55 |
| S25 | 13 | (measure$4) AND network AND (intrusion detection OR "IDS" OR intrusion protection OR intrusion prevention OR "IPS") AND signature AND database AND log AND 726/13.ccls. AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/15 16:57 |
| S26 | 87 | (measure$4) AND network AND (intrusion detection OR "IDS" OR intrusion protection OR intrusion prevention OR "IPS") AND signature AND database AND log AND 726/23.ccls. AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/15 16:58 |

| S27 | 2 | "6279113".pn. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/16 07:44 |
|---|---|---|---|---|---|---|
| S28 | 2 | "7032114".pn. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/16 07:59 |
| S29 | 2 | "5796942".pn. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/16 07:59 |
| S30 | 5584 | (726/2,11,13,16,22,23-25,26,27.ccls. \| 713/188.ccls. \| 380/59.ccls.) AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/09/08 09:30 |
| S31 | 187 | (decreas$3 \| decrement$3) AND (increas$3 \| increment$3) AND threshold AND signature AND (726/2,11,13,16,22,23-25, 26,27.ccls. \| 713/188.ccls. \| 380/59.ccls.) AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/09/08 09:31 |
| S32 | 187 | (decreas$3 \| decrement$3) AND (increas$3 \| increment$3) AND threshold AND signature$1 AND (726/2,11,13,16,22, 23-25,26,27.ccls. \| 713/188.ccls. \| 380/59. ccls.) AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/09/08 09:32 |
| S33 | 143 | ("IDS" \| intrusion detection) AND (decreas$3 \| decrement$3) AND (increas$3 \| increment$3) AND threshold AND signature$1 AND (726/2,11,13,16,22, 23-25,26,27.ccls. \| 713/188.ccls. \| 380/59. ccls.) AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/09/08 09:40 |

| S34 | 177 | ("IDS" \| intrusion detection) AND (decreas$3 \| decrement$3) AND (increas$3 \| increment$3) AND threshold AND (signature$1 \| pattern$1) AND (726/2,11, 13,16,22,23-25,26,27.ccls. \| 713/188.ccls. \| 380/59.ccls.) AND (@pd< "20040519" or @ad< "20040519" or @prad< "20040519" or @rlad< "20040519") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/09/08 09:50 |
|-----|-----|---|---|---|---|---|
| S35 | 543 | ("IDS" \| intrusion detection) AND ((decreas$3 \| decrement$3) \| (increas$3 \| increment$3) NEAR (signature$1 \| pattern$1)) AND (726/2,11,13,16,22,23-25, 26,27.ccls. \| 713/188.ccls. \| 380/59.ccls.) AND (@pd< "20040519" or @ad< "20040519" or @prad< "20040519" or @rlad< "20040519") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/09/08 09:51 |
| S36 | 216 | ("IDS" \| intrusion detection) AND threshold AND ((decreas$3 \| decrement$3) \| (increas$3 \| increment$3) NEAR (signature$1 \| pattern$1)) AND (726/2,11, 13,16,22,23-25,26,27.ccls. \| 713/188.ccls. \| 380/59.ccls.) AND (@pd< "20040519" or @ad< "20040519" or @prad< "20040519" or @rlad< "20040519") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/09/08 09:52 |
| S37 | 4 | ("IDS" \| intrusion detection) AND threshold AND ((decreas$3 \| decrement$3) AND (increas$3 \| increment$3) NEAR (signature$1 \| pattern$1)) AND (726/2,11, 13,16,22,23-25,26,27.ccls. \| 713/188.ccls. \| 380/59.ccls.) AND (@pd< "20040519" or @ad< "20040519" or @prad< "20040519" or @rlad< "20040519") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/09/08 09:52 |
| S38 | 76 | ("IDS" \| intrusion detection) AND threshold AND ((decreas$3 \| decrement$3) AND (increas$3 \| increment$3) SAME (signature$1 \| pattern$1)) AND (726/2,11, 13,16,22,23-25,26,27.ccls. \| 713/188.ccls. \| 380/59.ccls.) AND (@pd< "20040519" or @ad< "20040519" or @prad< "20040519" or @rlad< "20040519") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/09/08 09:52 |
| S39 | 2 | "20030061514".pn. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/09/08 09:54 |
| S40 | 2 | "20050037733".pn. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/09/08 10:46 |

| S41 | 8 | (confidence \| certainty) value AND ("IDS" \| intrusion detection) AND (decreas$3 \| decrement$3) AND (increas$3 \| increment$3) AND threshold AND (signature$1 \| pattern$1) AND (726/2,11, 13,16,22,23-25,26,27.ccls. \| 713/188.ccls. \| 380/59.ccls.) AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/09/08 14:24 |